

Bug 86 – detaljer. (samt lite om internationella tecken)

Create user in domain Smårgården

Account properties

Type

- Profile mail account includes: local mailbox, POP account.
- Profile system account includes: loginshell, homedirectory, local mailbox, POP account.
- Profile forward account includes: forward only, no local mailbox.
- Profile shell account includes: loginshell, homedirectory, no mail etc.

Create user in domain Smårgården - Mail account

User data

Username

Numbers, letters and the following special chars: @, %, . (dot), _ - .
If left out, a username will be created automatically.

Surname

Lastname

Password encryption scheme SHA MD5 KERBEROS

Password Password is already encrypted

If using {KERBEROS} as password scheme, make sure you include the correct REALM (principal@REALM.TLD)

If you enter an already encrypted password, you must make sure that the password scheme you've chosen is the correct one. Also, choose the checkbox Password is already encrypted

Account properties

Main address @smarsgarden.se

Status

Observera att username sätts automagiskt.

Create user in domain Smårgården - Mail account

Additional account properties

Home directory

Path to mailbox

Mail server Standard (DNS entry):
 User defined

Skönhetsfel på "Home directory". Här väljer man om till Standard...

Create user in domain Smårgården - Mail account

Added uid=sma001,ou=People,o=Smårgården,dc=net

return value: 0 => SUCCESS

Successfully executed the user add script

Intressant hantering av å J

◆ Successfully executed the user add script.
Successfully created the new user

Information _

User data Personal details Registered addresses Account status Delivery mode
Forwarders from other accounts Forwarders to other accounts Advanced delivery properties Mailbox properties
User access Actions

User data

Username	sma001	
User DN	uid=sma001,ou=People,o=SmÅrsgÅrden,dc=net	
Password	Encrypted	
Surname, Lastname	Information _	
Login shell	None	
Home directory	/var/mail/Smarsgarden/sma001	
UID;GID	256;256	
Additional group(s)	Add additional group	

Samma intressanta tolkning på å

Information _

User data Personal details Registered addresses Account status Delivery mode
Forwarders from other accounts Forwarders to other accounts Advanced delivery properties Mailbox properties
User access Actions

Mailbox properties

Path to mailbox	/var/mail/Smarsgarden/sma001	
Mailserver	None	
Default quota	Standard	

Här ser man att mailserver är "none" trots valet innan.

Change user data for Information _

Mail server

Options Standard (DNS entry) User defined None

Host address (FQDN)

◆ With option DNS, the first MX record of this domain will be taken

Om man väljer Standard och klickar på Save så...

Change user data for Information _

Mail server

Options Standard (DNS entry) User defined None

Host address (FQDN)

This domain isn't registered within the DNS system

◆ With option DNS, the first MX record of this domain will be taken

...blir det lite galet, däremot...

Change user data for Information _

Mail server

Options Standard (DNS entry) User defined None

Host address (FQDN)

This domain isn't registered within the DNS system

◆ With option DNS, the first MX record of this domain will be taken

... manuell hantering funkar J

◆ Successfully changed mailserver to emil.swe.net

Information _


User data Personal details Registered addresses Account status Delivery mode


Forwarders from other accounts Forwarders to other accounts Advanced delivery properties Mailbox properties


User access Actions

[Advanced delivery properties]

Mailbox properties

Path to mailbox /var/mail/Smarsgarden/sma001 

Mailserver emil.swe.net 

Default quota Standard 

Så då var det rätt till slut.